

Search history

Search 1: cpc=A41D13/11 (Results 1952)

Search 2: cpc=A62B23/02 (Results 1223)

Deze search resultaten zijn verkregen door twee classificaties voor mondkapjes door te zoeken met wat trefwoorden.

Een eerste insteek om daarna te verfijnen...

Deze search is om kennis te vergaren, ik kijk dus vooral naar plaatjes en abstract. Het format van deze uitdraai is 'abstract and pictures'. Doorklikken als het interessant begint te worden...

dit is overigens een interactieve pdf met zoekresultaten vanuit onze search software, maar in Espacenet werkt het zoeken hetzelfde...

Title:

DISPOSABLE MASK

Abstract:

Source: JP2019203217A To provide a disposable mask comprising a mask body for covering the mouth and nose of a user, and a plurality of string members for attaching the mask body to the head of the user, in which one end or both ends of at least one string member is adhesively fixed to the mask body directly, and adhesive strength between a string member end and an adhesion part of the mask body is high. SOLUTION: There is provided a disposable mask comprising a mask body for covering the mouth and nose of a user, and a plurality of string members for attaching the mask body to the head of ...





Probable Assignee:
SHIGEMATSU WORKS

Assignee(s):(std):

SHIGEMATSU WORKS CO LTD ;
SHIGEMATSU WORKS CO LTD ;
SHIGEMATSU WORKS

Assignee(s):

SHIGEMATSU WORKS CO ; SAT
ASSAY SAKU MAZDA KK



dit is blijkbaar
een manier van
bevestigen

Title:NON-WOVEN BODY FOR
BINDING MERCURY**Abstract:**


Source: US2015040920A A non-woven body for binding mercury, comprising a substrate made from a nonwoven fabric, wherein the body is doped with gold on the outside and with silver on the inside, is characterized in that the substrate comprises an outer ply that encloses the outside, an inner ply that encloses the inside, and an electrically neutral intermediate ply is interposed between the outer ply and the inner ply. Such a non-woven body may be used as a protective mask of also as lining for a box for disposal of broken energy-saving lamps.

Probable Assignee:

SPANNER STEPHAN

Assignee(s):(std):

SPANNER STEPHAN



de zoekopdracht
is blijkbaar te
breed, ik moet
aanpassen naar
virus barriere
materiaal

Title:

ANTI-DUST MASK HAVING A CIRCULAR PAD PART AND A FIXTURE FOR A FILTER PART

Abstract:


Source: US2013213414A The present invention relates to an anti-dust mask. The anti-dust mask (1) includes: a pad part (2) to which a sheet is closely attached to a front surface using thermal press forming, wherein a polyurethane film (202) adheres to the inner surface of the sheet and a spandex fabric adheres to the outer surface of the sheet; a fixture (3) for a filter part, to which the pad part and a disposable filter part adhere; a hemispherical filter part (4) defining a front space to filter contaminated air; and a one-way exhaust valve (8). Curves are formed on the pad part such that ...

Probable Assignee:


PARK KISU

Assignee(s):(std):


PARK KI SU ; PARK KISU




[Fig. 1]




[Fig. 2]




[Fig. 3]



[Fig. 4]



[Fig. 5]



4 more images available

de zoekopdracht
is blijkbaar te
breed, ik moet
aanpassen naar
virus barriere
materiaal

Title:

CLOTHES ATTACHED MISK

Abstract:

Source: KR200420953Y Machine translation: The idea which it sees at it sees with the fact that regarding the clothing where the mask is formed to under three the mask is formed in cloth, the possibility of protecting the neck and a mouth part in order to be, the cover to be formed, to the minute description cover the pocket about under forming it will be able to insert the pad in order, it is regarding one clothing. The idea which it sees attaches in the collar (collar) which is formed in neck part of general clothing, to one piece end grade of the minute description collar the beasts ...

Probable Assignee:

ONLY TEA CO LTD

Assignee(s):

ONLY TEA CO LTD

Title:
SHAPE RETAINING MATERIAL,
NOSE CLIP FOR FACE MASK
AND FACE MASK

Abstract:

Source: WO04007026A1 A shape retaining material that exhibits satisfactory shape retaining property capable of retaining deformed shape, can be easily disposed of and can facilitate resin recycling after disposal and further ensures high productivity. There are also provided a nose clip for face mask and face mask comprising the shape retaining material. In particular, a nose clip for face mask, composed mainly of a shape retaining material characterized by comprising at least a strip material of oriented polyolefin resin having a rolling ratio of 5 to 16, a draw ratio of 1.3 to 2.5 and a ...

Probable Assignee:


SEKISUI CHEMICAL CO LTD

Assignee(s):(std):

MATSUZAKA KATSUO ;
OGASAWARA SHIGERU ;
OSUGA MAKOTO ; SEKISUI
CHEMICAL CO LTD

Assignee(s):

SEKISUI CHEM CO LTD ;
SEKISUI CHEMICAL CO



oh ja, het goed
laten aansluiten
van een masker
is natuurlijk ook
belangrijk. Hoe
doen ze dat hier..






Title:
SURGICAL VACUUM APPAREL**Abstract:**

Source: US3804086A An air harness in the form of a belt and a pair of suspenders is made of flexible multi-apertured tubing. Ends of the tubing are coupled to a connector positioned behind the wearer and having a rearwardly projecting main vacuum duct that connects to a vacuum hose. The harness and connector are positioned entirely beneath the surgical gown and may be either separable or inseparable therefrom. Air is drawn into the harness tubing for disposal at a remote location. An oronasal vacuum aspirator ...

Probable Assignee:
BOYD F AGNEW

Assignee(s):(std):
AGNEW B ; BOYD F AGNEW

Assignee(s):
AGNEW B US



Title:

GESICHTSMASKE,
INSBESONDERE FÜR
MOTORRADFAHRER
FACE MASK, IN PARTICULAR
FOR BIKERS (Machine
translation)

Abstract:

Source: DE353305A (Claim 1)

1. PATENT-ANSPR-ueCHE: r.
Gesichtsmaske, insbesondere
für Mo- torradfahrer, bei
welcher die Atmung durch nach
rückwärts geleitete Atmungs-
röhre erfolgt, dadurch
gekennzeichnet, dass zwecks
Erzielung einer Frischluft-
zirkulation, zur Abkühlung der
von der Maske bedeckten
Gesichtspartie und zur
Ableitung der verbrauchten
Luft, im Vorder- iderteil der Maske,
entgegen der Fahrt- richtung,
eine durch Filter abgedichtete
öffnung (2) vorgesehen ist.

Machine translation: (claim 1)

1 PATENT-claim-itchen: r. Face
mask, in particular for Mo-
torradfahrer, ...

Probable Assignee:

KARL HEINZE

Assignee(s):(std):

KARL HEINZE

