

Search history

Search 1: cpc=A41D13/11 (Results 1952)

Search 2: cpc=A62B23/02 (Results 1223)

These search results have been obtained by searching through two classifications for face masks using a number of keywords. An initial start which can be refined later

As the purpose of this search is to gather knowledge, I mainly look at pictures and abstracts. The format of this printout is 'abstract and pictures'. Click through when it starts to get interesting.

Incidentally, this is an interactive PDF with search results from our search software, but in Espacenet you can conduct a search in the same way.


Title:
DISPOSABLE MASK

Abstract:
Source: JP2019203217A To provide a disposable mask comprising a mask body for covering the mouth and nose of a user, and a plurality of string members for attaching the mask body to the head of the user, in which one end or both ends of at least one string member is adhesively fixed to the mask body directly, and adhesive strength between a string member end and an adhesion part of the mask body is high.**SOLUTION:** There is provided a disposable mask comprising a mask body for covering the mouth and nose of a user, and a plurality of string members for attaching the mask body to the head of ...

Probable Assignee:
SHIGEMATSU WORKS

Assignee(s):(std):
SHIGEMATSU WORKS CO LTD ;
SHIGEMATSU WORKS CO LTD ;
SHIGEMATSU WORKS

Assignee(s):
SHIGEMATSU WORKS CO ; SAT
ASSAY SAKU MAZDA KK



This is apparently a way of attaching something

Title:
NON-WOVEN BODY FOR
BINDING MERCURY

Abstract:


Source: US2015040920A A non-woven body for binding mercury, comprising a substrate made from a nonwoven fabric, wherein the body is doped with gold on the outside and with silver on the inside, is characterized in that the substrate comprises an outer ply that encloses the outside, an inner ply that encloses the inside, and an electrically neutral intermediate ply is interposed between the outer ply and the inner ply. Such a non-woven body may be used as a protective mask of also as lining for a box for disposal of broken energy-saving lamps.

Probable Assignee:

SPANNER STEPHAN

Assignee(s):(std):

SPANNER STEPHAN




Title:
ANTI-DUST MASK HAVING A CIRCULAR PAD PART AND A FIXTURE FOR A FILTER PART

Abstract:
Source: US2013213414A The present invention relates to an anti-dust mask (1) includes: a pad part (2) to which a sheet is closely attached to a front surface using thermal press forming, wherein a polyurethane film (202) adheres to the inner surface of the sheet and a spandex fabric adheres to the outer surface of the sheet; a fixture (3) for a filter part, to which the pad part and a disposable filter part adhere; a hemispherical filter part (4) defining a front space to filter contaminated air; and a one-way exhaust valve (8). Curves are formed on the pad part such that ...

Probable Assignee:
PARK KISU

Assignee(s):(std):
PARK KI SU ; PARK KISU



4 more images available

Apparently, the search query is too broad. I need to change it to virus barrier material

Title:

CLOTHES ATTACHED MISK

Abstract:

Source: KR200420953Y Machine translation: The idea which it sees at it sees with the fact that regarding the clothing where the mask is formed to under three the mask is formed in cloth, the possibility of protecting the neck and a mouth part in order to be, the cover to be formed, to the minute description cover the pocket about under forming it will be able to insert the pad in order, it is regarding one clothing. The idea which it sees attaches in the collar (collar) which is formed in neck part of general clothing, to one piece end grade of the minute description collar the beasts ...

Probable Assignee:

ONLY TEA CO LTD

Assignee(s):

ONLY TEA CO LTD

Title:
SHAPE RETAINING MATERIAL,
NOSE CLIP FOR FACE MASK
AND FACE MASK




Abstract:

Source: WO04007026A1 A shape retaining material that exhibits satisfactory shape retaining property capable of retaining deformed shape, can be easily disposed of and can facilitate resin recycling after disposal and further ensures high productivity. There are also provided a nose clip for face mask and face mask comprising the shape retaining material. In particular, a nose clip for face mask, composed mainly of a shape retaining material characterized by comprising at least a strip material of oriented polyolefin resin having a rolling ratio of 5 to 16, a draw ratio of 1.3 to 2.5 and a ...

Probable Assignee:
SEKISUI CHEMICAL CO LTD

Assignee(s):(std):
MATSUZAKA KATSUO ;
OGASAWARA SHIGERU ;
OSUGA MAKOTO ; SEKISUI
CHEMICAL CO LTD

Assignee(s):
SEKISUI CHEM CO LTD ;
SEKISUI CHEMICAL CO



And, of course, it is also important that the mask fits properly. How do they ensure that is the case here...






Title:
SURGICAL VACUUM APPAREL

Abstract:
Source: US3804086A An air harness in the form of a belt and a pair of suspenders is made of flexible multi-apertured tubing. Ends of the tubing are coupled to a connector positioned behind the wearer and having a rearwardly projecting main vacuum duct that connects to a vacuum hose. The harness and connector are positioned entirely beneath the surgical gown and may be either separable or inseparable therefrom. Air is drawn into the gown and, together with particles shed from the wearer's body, is drawn into the harness tubing for disposal at a remote location. An oronasal vacuum aspirator ...

Probable Assignee:
BOYD F AGNEW

Assignee(s):(std):
AGNEW B ; BOYD F AGNEW

Assignee(s):
AGNEW B US



Title:

GESICHTSMASKE,
INSBESONDERE FUER
MOTORRADFAHRER
FACE MASK, IN PARTICULAR
FOR BIKERS (Machine
translation)

Abstract:

Source: DE353305A (Claim 1)
1. PATENT-ANSPR-UECHE: r.
Gesichtsmaske, insbesondere
fuer Mo- torraidfahrer, bei
welcher die Atmung durch nach
rueckwaerts geleitete Atmungs-
rohre erfolgt, dadurch
gekennzeichnet, dass zwecks
Erzielung einer Frischluft-
zirkulation, zur Abkuehlung iber
von der Maske bedeckten
Gesichtspartie und zur
Ableitung der verbrauchten
Luft, im Vor- iderteil der Maske,
entgegen der Fahrt- richtung,
eine durch Filter abgedichtete
oeffnung (2) vorgesehen ist.

Machine translation: (claim 1)
1 PATENT-claim-ITCHEN: r. Face
mask, in particular for Mo-
torraidfahrer, ...

Probable Assignee:

KARL HEINZE

Assignee(s):(std):

KARL HEINZE

